

Elim-A-Cand™ Candida Support*

Features & Benefits

Fungal overgrowth, including yeast, can appear throughout the body, and it is often associated with the intestinal tract. As with many antibiotics, some traditional antifungals are becoming less effective when relied on as a singular treatment plan. Many doctors are looking at other approaches, especially those that utilize multiple mechanisms of action to better support their patients' needs.

Elim-A-CandTM is a targeted herbal tincture, supporting a healthy microbial balance through multiple mechanisms. Our product formulators saw that there was a need for a multi-ingredient product that incorporates the latest ingredient research and delivers the herbal tincture in a phospholipid delivery system for optimized absorption.

Supplement Facts

Serving Size: 40 Drops Servings Per Container: Approx. 60

Amount Per Serving %Daily Value**

Proprietary Herbal Blend:

Berberine, Stillingia sylvatica

Cinnamon verum (Cinnamon bark), Syzgium aromaticum (Clove bud), Althaea officinalis (Marshmallow root), Tabebuia impetiginosa (Pau D'Arco bark), Ulmus rubra (Slippery Elm bark),

** Percent Daily Values are based on a 2,000 calorie diet. † Daily Value not established.

Other Ingredients: Distilled water, organic cane alcohol (20%), non-GMO sunflower phospholipids.

Manufactured without milk, eggs, fish, crustacean shellfish, peanuts, wheat, soy, corn and gluten. Produced in a facility that may process other ingredients containing these allergens.

Product No. RN172

Mechanisms of Action:

	Promotes lipid peroxidation of fungal membranes	Supports healthy biofilm disruption	Soothes gut mucosal membranes	Promotes healthy cytokine response
Cinnamon	х	x		Х
Cloves	х	x		Х
Berberine	х	x		Х
Pau D'Arco	х			Х
Marshmallow root			х	x
Stillingia				Х
Slippery elm			х	×

Cautions

Do not use while pregnant or nursing. Do not use if you are currently taking any blood thinners or immunosuppressant medications, as ingredients in this product may increase their effect.

For Best Results

As with any new nutritional supplement, patients should start slowly. Take away from meals and add to 1-3 ounces of water. If patient experiences nausea, have the patient dose the product 15-30 minutes after a light carbohydrate snack.

What to Expect

Patient reaction to these advanced microbial balancers is similar to what one experiences when starting immune support protocols: some patients experience a "Herxheimer" reaction while others do not. However, a patient who reacts to antibiotics and/or other nutritional protocols should start slowly.

FOR DOSING INFORMATION, SEE BACK PAGE

* These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.



P.O. Box 224, Los Olivos, CA 93441

Toll Free: 800.755.3402 • Tel: 805.693.1802 • Fax: 805.693.1806

ResearchedNutritionals.com | Available only through healthcare professionals

Suggested Detox Protocol

As with other immune support protocols, doctors open detoxification pathways and provide binders to move toxins out of the body.

Many doctors incorporate **Tri-Fortify™** liposomal glutathione (1 teaspoon per day) for at least three days prior to commencing and during microbial treatment.

Targeted Microbial Support



STARTING DOSE FOR ADULTS:

Days 1-3

3-5 drops in 1-3 ounces of water in the morning and again in the evening

Days 4 & beyond

Increase 3-5 drops every other day, in both morning and evening doses

FULL DOSE FOR ADULTS:

This would take 10-14 days to get to full dose of 40 drops in each the morning and the evening.

Another dosing strategy used by many doctors is to have patients work up to a double dose (80 - 90 drops twice per day).

SENSITIVE PATIENTS:

Start with Detox Protocol to the left plus repeat 30 minutes before taking BLt™ and/ or Crypto-Plus™

Start with 1 drop in 1-3 ounces of water once per day, and slowly increase dose as your body is able to do so.

2 hours after taking BLt™ and/or Crypto-Plus™, repeat Detox Protocol

ULTRA-SENSITIVE PATIENTS:

Start by dosing every other day; consider having patient swish in mouth and spit out to minimize absorption

PEDIATRIC DOSING:

Based on reported physician experience, pediatric dosing with children 8 years and older: start at 1-2 drops added to diluted apple or berry juice and work slowly up to 20-30 drops 2x/day over 2-3 weeks.