

Ultra Preventive® 2 Daily

Comprehensive multivitamin/mineral with phytonutrients for daily wellness[‡]

DESCRIPTION

Ultra Preventive® 2 Daily by Douglas Laboratories provides a comprehensive vitamin/mineral/trace element formula with bioavailable nutrient forms to support optimal health and wellness. This formula features EZ Swallow Technology™ with phytonutrients for immune and cellular health.[‡]

INDICATIONS

- Supports optimal health for cellular, heart, cognitive and immune functions[‡]
- Supports daily wellness[‡]

FUNCTIONS AND MECHANISM OF ACTION

Ultra Preventive® 2 Daily has been carefully developed to contain adequate amounts of bioavailable vitamins, minerals and other beneficial nutrients and enzymes. Each ingredient is selected in consideration of its absorbability, competitive relationship with other nutrients, and safety. The specific nutrients play vital roles and support cellular, heart, cognitive and immune health, among other functions. Vitamin C is a water-soluble antioxidant nutrient. It is essential for connective tissue and bone metabolism, capillary health and immune function. Vitamin E is recognized as a fat-soluble antioxidant. It provides cell stabilization and supports cell membranes.[‡]

Calcium provides a highly beneficial source of dietary calcium that assists in the maintenance of healthy bone structure and function. In addition, calcium is essential to maintain and perform cellular signaling in many physiological functions, including muscle contraction, neuronal excitability and cell growth. Vitamin D is responsible for the absorption of calcium into the blood. Magnesium plays an essential role in a wide range of fundamental cellular reactions. More than 300 enzymes require magnesium as a cofactor. Complexed with adenosine triphosphate (ATP), the main carrier of metabolic energy in the body, magnesium is essential for all biosynthetic processes: glycolysis, formation of cyclic adenosine monophosphate (cAMP), energy-dependent membrane transport, transmission of genetic code for protein synthesis and muscle function. Zinc is also essential for a wide range of physiological functions, including the regulation of intracellular signaling pathways in innate and adaptive immune cells.[‡]

This formula contains methylated folate and other B vitamins in activated forms. Vitamin B₁₂ as methylcobalamin is found in the cytosol of cells and is predominate in blood and other fluid. Folate is offered in this formula as Metafolin® 5-methyltetrahydrofolate (L-5-MTHF), the universally metabolized and biologically active form of folate.[‡]

Choline acts as a methyl donor for homocysteine and folate metabolism in the methylation cycle following conversion to betaine, and as a structural component of cellular membranes and synthesis of the neurotransmitter acetylcholine. Choline and inositol are lipotropic factors that support liver function and promote healthy mobilization of fats and bile. This formula contains copper, an essential trace mineral that supports a number of crucial physiological processes including antioxidant function, iron absorption and protein metabolism.[‡]

Lutein and zeaxanthin are the two major carotenoids stored in the macula, the central part of the retina. Numerous double-blind, placebo-controlled trials indicate that lutein and zeaxanthin support the health of the optical lens as well as the retina. They support retinal health by promoting the integrity and density of the macular pigment, acting as antioxidants and light filters to protect the ocular tissue. Thus, this combination offers support for photoreceptor health.[‡]

Ultra Preventive® 2 Daily contains a proprietary blend of wild blueberry and strawberry extracts and spinach powder. Blueberry and strawberry extracts have been studied for their potential cardiometabolic and brain health benefits.‡

FORMULA (#202775)

Serving Size 2 Tablets:

Vitamin A (as natural beta-carotene)	1,500 mcg
Vitamin C (as ascorbic acid)	120 mg
Vitamin D ₃ (as cholecalciferol)	25 mcg (1,000 IU)
Vitamin E (as d-alpha tocopheryl succinate)	67 mg
Thiamine (as thiamine HCl)	25 mg
Riboflavin (as riboflavin-5-phosphate).....	10 mg
Niacin/Niacinamide	30 mg
Vitamin B ₆ (as pyridoxal-5-phosphate).....	50 mg
Folate (as Metafolin®, L-5-MTHF)	667 mcg DFE (400 mcg L-5-MTHF)
Vitamin B ₁₂ (as methylcobalamin)	180 mcg
Biotin	300 mcg
Pantothenic Acid (as d-calcium pantothenate).....	25 mg
Choline (from choline bitartrate).....	60 mg
Calcium (as calcium citrate/malate complex)	50 mg
Iodine (from kelp)	150 mcg
Magnesium (as magnesium citrate)	25 mg
Zinc (as OptiZinc® monomethionine)	15 mg
Selenium (as selenium amino acid chelate).....	100 mcg
Copper (as copper amino acid chelate)	1 mg
Chromium (as chromium amino acid chelate).....	120 mcg
Molybdenum (as molybdenum amino acid chelate)	100 mcg
Potassium (as potassium aspartate).....	99 mg
Proprietary Blend	100 mg
Wild Blueberry Extract (fruit, <i>Vaccinium angustifolium</i> , standardized to 4% polyphenols), Strawberry Extract (fruit, <i>Fragaria vesca</i> , standardized To 2% polyphenols), Spinach Powder (<i>Spinacia oleracea</i> , aerial parts)	
Inositol	25 mg
Pterostilbene (methylated resveratrol**)	10 mg
Lutein	3 mg
Lycopene (natural)	3 mg
Zeaxanthin	1 mg
Astaxanthin	1 mg

Other ingredients: Microcrystalline cellulose, tablet coating (hydroxypropyl methylcellulose, starch (rice), gum acacia, glycerine, natural vanilla flavor, fruit and vegetable juice (natural colorant), spirulina extract (natural colorant), croscarmellose sodium, stearic acid, hydroxypropyl cellulose and silica

Metafolin® is a registered trademark of Merck KGaA, Darmstadt, Germany.

pTeroPure is a trademark of ChromaDex, Inc.

OptiZinc® is a trademark of Lonza.

EZ Swallow Technology™

Gluten-Free, Non-GMO

SUGGESTED USE

As a dietary supplement, adults take 2 tablets daily with food or as directed by a health professional. This product is best taken with meals.

WARNING

If you are pregnant, nursing, have any health condition or taking any medication, consult your health professional before using this product.

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

REFERENCES

- Girodon F, Blache D, Monget AL, et al. *J Am Coll Nutr*. 1997 Aug;16(4):357-65.
- Hercberg S, Galan P, Preziosi P, et al. *Arch Intern Med*. 2004 Nov 22;164(21):2335-42.
- Wang MX, Jiao JH, Li ZY, et al. *Atherosclerosis*. 2013 Apr;227(2):380-5.
- Sato K, Niki E, Shimasaki H. *Arch Biochem Biophys*. 1990 Jun;279(2):402-5.
- Huskisson E, Maggini S, Ruf M. *J Int Med Res*. 2007 May-Jun;35(3):277-89.
- Depeint F, Bruce WR, Shangari N. *Chemico-Biological Interactions*. 2006. 123; 94–112.
- Tsugawa N, Shiraki M. *Nutrients*. 2020 Jun 27;12(7):1909
- Rodríguez-Olleros Rodríguez C, Díaz Curiel M. *J Osteoporos*. 2019 Dec 31;2019:2069176.
- Brunaud L, Alberto JM, Ayav A et al. *Clin Chem Lab Med*. 2003 Aug;41(8):1012-9.
- Miller AL. *Altern Med Rev*. 2003 Feb;8(1):7-19.
- Costa KA, Gaffney CE, Fischer LM, Zeisel SH. *Am J Clin Nutr*. 2005 Feb; 81(2): 440–444.
- Lee JK, Jung SH, Lee SE, et al. *Korean J Physiol Pharmacol*. 2018 Jan; 22(1): 35–42.
- Panche AN, Diwan AD, Chandra SR. *J Nutri Sci*. 2016;5:e47.
- Johnston CS, Barkyoub GM, Schumacher SS. *Nutrients*. 2014 Jul 9;6(7):2572-83.
- Sasazuki S, Sasaki S, Tsubono Y, et al. *Eur J Clin Nutr*. 2006 Jan;60(1):9-17.
- Kurutas EB. *Nutr J*. 2016; 15: 71.
- den Heijer M, Brouwer IA, Bos GM, et al. *Arterioscler Thromb Vasc Biol*. 1998 Mar;18(3):356-61.
- Robinson K, Arheart K, Refsum H, et al. *Circulation*. 1998; 97: 437-443.
- Johnston CS, Barkyoub GM, Schumacher SS. *Nutrients*. 2014 Jul 9;6(7):2572-83.
- Tanaka T, Scheet P, Biusti B, et al. *Amer J Hum Genetics*. Apr 2009. 84: 477–482.
- Antoniades C, Shirodaria C, Warrick N, et al. *Circulation*. 2006 Sep 12;114(11):1193-201.
- Cagnacci A, Cannella M, Volpe A. *Eur J Clin Nutr*. 2009 Oct;63(10):1266-8.
- Stanhewicz AE, Alexander LM, Kenney WL. *Clin Sci (Lond)*. 2015 Jul;129(2):159-67.
- Lövblad K, Ramelli G, Remonda L, et al. *Pediatr Radiol*. 1997 Feb;27(2):155-8.
- Douaud G, Refsum H, de Jager CA, et al. *Proc Natl Acad Sci U S A*. 2013 Jun 4;110(23):9523-8.
- Suzuki T. *Nihon Yakurigaku Zasshi*. 1984 Jul;84(1):99-108.
- Merete C, Falcon LM, Tucker KL. *J Am Coll Nutr*. 2008 Jun; 27(3): 421–427.
- van Asselt DZ, Pasman JW, van Lier HJ, et al. *J Gerontol A Biol Sci Med Sci*. 2001 Dec;56(12):M775-9.
- Prasad AS. *Curr Opin Clin Nutr Metab Care*. 2009 Nov;12(6):646-52.
- Shankar AH, Prasad AS. *Am J Clin Nutr*. 1998 Aug;68(2 Suppl):447S-463S.
- Hossein-nezhad A, Spira A, Holick MF. *PLoS One*. 2013;8(3):e58725.
- Amrein K, Zajic P, Schnedl C, et al. *Crit Care*. 2014 Mar 24;18(2):R47.
- Wintergerst ES, Maggini S, Hornig DH. *Ann Nutr Metab*. 2006;50(2):85-94.
- Padayatty SJ, Katz A, Wang Y, et al. *J Am Coll Nutr*. 2003 Feb;22(1):18-35.
- Frech T, Clegg D. *Curr Rheumatol Rep [serial online]*. April 2007;9(1):25-30.
- Carr AC, Bozonet SM, Pullar JM, et al. *Am J Clin Nutr*. 2013 Apr;97(4):800-7.
- Szarka A, Lőrincz T. *Protoplasma*. 2014 May;251(3):489-97.
- Aghajanian P, Hall S, Wongworawat MD, Mohan S. *J Bone Miner Res*. 2015 Nov; 30(11): 1945–1955.
- Malmir H, Shab-Bidar S, Djafarian K. *Br J Nutr*. 2018 Apr;119(8):847-858.
- Henriksson P, Diczfalusy U, Freyschuss A. *Microcirculation*. 2012;19(1):86-93.
- May JM, Harrison FE. *Antioxid Redox Signal*. 2013 Dec 10; 19(17): 2068–2083.
- Uchio R, Hirose Y, Murosaki S, et al. *Br J Nutr*. 2015 Feb 28;113(4):603-9.
- Ferrón-Celma I, Mansilla A, Hassan L, et al. *J Surg Res*. 2009 May 15;153(2):224-30.
- Abdollahzad H, Eghtesadi S, Nourmohammadi I, et al. *Int J Vitam Nutr Res*. 2009 Sep;79(5-6):281-7.
- Bauer JD, Isenring E, Waterhouse M. *J Hum Nutr Diet*. 2013 Oct;26(5):452-8.

- Keen MA, Hassan I. *Indian Dermatol Online J*. 2016;7(4):311-315.
- Rendón-Ramírez AL, Maldonado-Vega M, Quintanar-Escorza MA, et al. *Environ Toxicol Pharmacol*. 2014 Jan;37(1):45-54.
- Sureda A, Tauler P, Aguiló A, et al. *Ann Nutr Metab*. 2008;52(3):233-40.
- Wang X, Quinn PJ. *Prog Lipid Res*. 1999 Jul;38(4):309-36.
- Evstigneeva RP, Volkov IM, Chudinova VV. *Membr Cell Biol*. 1998;12(2):151-72.
- Quesada Gómez JM, Blanch Rubió J, Díaz Curiel M, Díez Pérez A. *Clin Drug Investig*. 2011;31(5):285-98.
- Giorgi C, Marchi S, Pinton P. *Nat Rev Mol Cell Biol*. 2018;19(11):713-730.
- Sun-Edelstein C, Mauskop A. *Expert Rev Neurother*. 2019;9(3):369-379.
- Elin RJ. *Clin Chem* 1987;33:1965-1970.
- João-Matias, et al. *Blood Purif*. 2014;38(3-4):244-52.
- Rodríguez-Moran M, Guerrero-Romero F. *Arch Med Res*. 2014;45(5):388-93.
- Nowak G, Siwek M, Dudek D, et al. *Pol J Pharmacol*. 2003 Nov-Dec;55(6):1143-7.
- van Tiggelen CJM. *Psychiatry (Canada)* 1984. 13(2); 97-104.
- Arnold LE, Pinkham SM, Votolato N. *J Child Adolesc Psychopharmacol*. 2000 Summer;10(2):111-7.
- Science M, Johnstone J, Roth DE, et al. *CMAJ*. 2012 Jul 10;184(10):E551-61.
- Maywald M, Rink L. *Eur J Nutr*. 2017 Aug;56(5):1859-1869.
- Wessels I, Maywald M, Rink L. *Nutrients* 2017 Dec;9(12):1286.
- Castiglioni S, Cazzaniga A, Albisetti W, Maier JAM. *Nutrients*. 2013 Aug; 5(8): 3022–3033.
- Volpe SL. Magnesium. In: Erdman JW, Macdonald IA, Zeisel SH, eds. Ames, Iowa; John Wiley & Sons, 2012:459-74.
- Maresz K. *Integr Med (Encinitas)*. 2015 Feb; 14(1): 34–39.
- Thakkar K, Billa G. *Eur J Clin Nutr*. 2015 Jan;69(1):1-2.
- Quadros EV. *Br J Haematol*. 2010 Jan;148(2):195-204.
- Seremak-Mrozikiewicz A. *Ginekol Pol*. 2013 Jul;84(7):641-6.
- Lamers Y, Prinz-Langenohl R, Brämswig S, Pietrzik K. *Am J Clin Nutr*. 2006 Jul;84(1):156-61.
- Prinz-Langenohl R, Brämswig S, Tobolski O, et al. *Br J Pharmacol*. 2009 Dec; 158(8): 2014–2021.
- Xie F, Cheng Z, Li S, et al. *J Clin Pharmacol*. 2014 Jun;54(6):688-95.
- di Salvo ML, Contestabile R, Safo MK. *Biochim Biophys Acta*. 2011 Nov;1814(11):1597-608.
- Zakhari S. *Alcohol Res*. 2013; 35(1): 6–16.
- Mahmoud AM, Mohamed MA. *Nutrients*. 2019 Mar; 11(3): 608.
- Hollenbeck C.B. *Cent Nerv Syst Agents Med Chem*. 2012;12:100–113.
- Pizzorno JE, Murray MT, Joiner-Bey Herb. Elsevier; 2016.
- Kenney JL, Carlberg KA. *Int J Sports Med*. 1995 Feb;16(2):114-6.
- Herchenhan A, Uhlenbrock F, Eliasson P, et al. *J Biol Chem*. 2015 Jun 26;290(26):16440-50.
- DiSilvestro RA, Joseph EL, Zhang W, et al. *Metabolism*. 2012 Sep;61(9):1242-6.
- Ogra Y. *Nihon Eiseigaku Zasshi*. 2014;69(2):136-45.
- Reeves PG, DeMars LC. *J Nutr*. 2004 Aug;134(8):1953-7.
- Reeves PG, Demars LC, Johnson WT, et al. *J Nutr*. 2005 Jan;135(1):92-8.
- Bauerly KA, Kelleher SL, Lönnadal B. *Am J Physiol Gastrointest Liver Physiol*. 2005 May;288(5):G1007-14.
- Ergaz Z, Guillemin C, Neeman-Azulay M, et al. *Toxicol Appl Pharmacol*. 2014 May 1;276(3):220-30.
- Cunnane SC, Horrobin DF, Manku MS. *Ann Nutr Metab*. 1985;29(2):103-10.
- Huang YM, Dou HL, Huang FF, et al. *Br J Ophthalmol*. 2015 Mar;99(3):371-5.
- Age-Related Eye Disease Study 2 (AREDS2) Research Group, Chew EY, Clemons TE, et al. *JAMA Ophthalmol*. 2014 Feb;132(2):142-9.
- Bovier ER, Renzi LM, Hammond BR. *PLoS One*. 2014 Sep 24;9(9):e108178.
- Hammond BR, Fletcher LM, Roos F, et al. *Invest Ophthalmol Vis Sci*. 2014 Dec 2;55(12):8583-9.
- Rodriguez-Carmona M, Kvansakul J, Harlow JA, et al. *Ophthalmic Physiol Opt*. 2006 Mar;26(2):137-47.
- Richer SP, Stiles W, Graham-Hoffman K, et al. *Optometry*. 2011 Nov;82(11):667-680.e6.
- Rutledge GA, Fisher DR, Miller MG, et al. *Food Funct*. 2019 Dec 11; 10(12): 7707–7713.
- Tran PHL, Tran TTD. *Biomolecules*. 2021 Jan; 11(1): 102.
- Bowtell JL, Aboo-Bakkar Z, Conway ME, et al. *Appl Physiol Nutr Metab*. 2017 Jul; 42(7):773-779.
- McNamara RK, Kalt W, Shidler MD, et al. *Neurobiol Aging*. 2018 Apr; 64():147-156.
- Moazen S, Amani R, Rad AH. *Ann Nutr Metab*. 2013;63(3):256-64.
- Basu A, Wilkinson M, Penugonda K, et al. *Nutr J*. 2009 Sep 28;8:43.
- Basu A, Izuora K, Betts NM, et al. *Nutrients*. 2021 May; 13(5): 1421.

Gruenwald J, Brendler T, Jaenicke C. PDR for Herbal Medicines. 1st ed. Montvale, NJ: Medical Economics Company, Inc., 1998.

Brinker F. Herb Contraindications and Drug Interactions. 2nd ed. Sandy, OR: Eclectic Medical Publications, 1998.
Roberts JL, Moreau R. *Food Funct.* 2016 Aug 10;7(8):3337-53.

For more information on Ultra Preventive® 2 Daily, visit douglaslabs.com

†These statements have not been evaluated by the Food and Drug Administration.

This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by
Douglas Laboratories
600 Boyce Road
Pittsburgh, PA 15275
800-245-4440
douglaslabs.com



PUSH YOUR POTENTIAL.

©2022 Douglas Laboratories. All Rights Reserved.